



NEW



Window Mount Ventilating Fan

Application - - -
Bathroom Kitchen
Bedroom Office



IPX4(outside)

2 YEAR WARRANTY



■ Installation



indoor



glass




outdoor



Window Mount Ventilating Fan

Electrical Front Shutter Type

- Patented installation structure for easy installation indoors.
- 7-blade design for high air pressure.
- Built-in thermal cut-out protector for safer use.
- Electrical front non-return shutter to avoid mosquito come indoors which is suitable for high-rise bulidings.
- Shaded pole motor.



DIMENSIONS (mm)




Model	A	B	C	D	Hole Size
					mm
PWE4-DA	160	43	60	99	Ø102
PWE6-DA	210	45	66	147	Ø153

SPECIFICATIONS(voltage 220V~50/60Hz)

Model	Size		Power	Air Volume	RPM	Noise
	mm	in				
PWE4-DA	100	4	12	72	2500	43
PWE6-DA	150	6	18	168	1500	46



■ Installation




Window Mount Ventilating Fan

Air Pressure

- 7-blade design for high air pressure.
- Air Pressure type back louver to avoid air and mosquito come indoors.
- Shaded pole motor.
- Built-in thermal cut-out protector for safer use



DIMENSIONS (mm)



Model	A	B	C	D	E	Hole Size
						mm
PWE6-S	200	182.5	148	123	52	Ø153

SPECIFICATIONS(voltage 220V~50/60Hz)

Model	Size		Power	Air Volume	RPM	Noise
	mm	in				
PWE6-S	150	6	20	132	1300	45